

Manual : CTFPND-1 V4

- Start navigation (Page 1)
- Settings (Pages 2-17)
- WindowsCE mode (Pages 18-19)
- Bluetooth (Pages 21-24)
- connecting accessory (Pages 25-26)

Navigation

For starting the pre-installed navigation software, please press the „car“-icon.



Settings

For changing GUI language, please follow these steps:






Now choose your desired language and press on „X” to close and confirm.



Additional settings :



Backlight






Power
Sleep Timer




Sound




Startsound

Choose „customize“ to select own start sound.



Choose path to your sound file (.wav/.mp3) and confirm it.





CARTFT.COM
Shop for mobile
PC- and GPS-Solutions

Power Up Your Car

Time



Choose date and timezone.



Co.adjust = Calibration




Hold the Cross pressed until it moves and repeat until finished.



Additional settings



„Update Logo“ enables you to choose your own boot up logo. Required file format : 24bit/Bmp with 800x480 resolution and filename „LOGO“.







CARTFT.COM



Shop for mobile
PC- and GPS-Solutions

Power Up Your Car



„GPS Path“ enables you to set the path to the navigation software which will be started when you press the „car“-icon in main menu.








CARTFT.COM

Shop for mobile
PC- and GPS-Solutions

Power Up Your Car



With „USB“ you can change connection mode to PC.




Activesync = Configuration with Windows mobile program





Tools







For connection to your radio, you need to select a frequency which is not used in your region. Note that PND must be connected to power to enable FM transmitter mode.






Windows CE Modus



With icon „Windows“ you can start the device in WinCE mode.



To end this mode just double click „GPS“ icon.




GPS Test



Bluetooth




Enable





Also enable BT on your cell phone. The PND is called either „AtlasVI BT“ or „APKBTDEV“.



Now couple the devices. PIN is 8888.



CARTFT.COM

Shop for mobile
PC- and GPS-Solutions

Power Up Your Car





CARTFT.COM
Shop for mobile
PC- and GPS-Solutions

Power Up Your Car



Now your cell phone is paired with the PND.

Accessoiry

Setup with TMC and wireless camera :



Connect GNS FM9 TMC receiver to CTFPND-1 V4.
Please note that the PND has to be connected to power.



When you want to use TMC and wireless camera, then first connect the wireless video receiver to the PND and then connect the TMC receiver to the other side of the wireless video connector.

